

Kimura T, Takagi H, Miyamoto K, Kita M, Watanabe D, Yoshimura N. Macular hole with epiretinal membrane after triamcinolone-assisted vitrectomy for proliferative diabetic retinopathy. *Retinal Cases Brief Reports*. 2009;3:83-85.

Ojima Y, Hangai M, Sakamoto A, Tsujikawa A, Otani A, Tamura H, Yoshimura N. Improved visualization of polypoidal choroidal vasculopathy lesions using spectral-domain optical coherence tomography. *Retina*. 2009;29:52-59.

Hayashi H, Yamashiro K, Tsujikawa A, Ota M, Otani A, Yoshimura N. Association between foveal photoreceptor integrity and visual outcome in neovascular age-related macular degeneration. *Am J Ophthalmol*. 2009;148:83-89.

Oishi A, Miyamoto K, Yoshimura N. Etiology of carotid cavernous fistula in Japanese. *Jpn J Ophthalmol*. 2009;53:40-43.

Nakanishi H, Hangai M, Unoki N, Sakamoto A, Tsujikawa A, Kita M, Yoshimura N. Spectral-domain optical coherence tomography imaging of the detached macula in rhegmatogenous retinal detachment. *Retina*. 2009;29:232-242.

Inoue R, Hangai M, Kotera Y, Nakanishi H, Mori S, Morishita S, Yoshimura N. Three-dimensional high-speed optical coherence tomography imaging of lamina cribrosa in glaucoma. *Ophthalmology*. 2009;116:214-222.

Nakanishi H, Yamada R, Gotoh N, Hayashi H, Otani A, Tsujikawa A, Yamashiro K, Shimada N, Ohno-Matsui K, Mochizuki M, Saito M, Saito K, Iida T, Matsuda F, Yoshimura N. Absence of association between COL1A1 polymorphisms and high myopia in the Japanese population. *Invest Ophthalmol Vis Sci*. 2009;50:544-550.

Sakamoto A, Tsujikawa A, Ota M, Yamaike N, Kotera Y, Miyamoto K, Kita M, Yoshimura N. Evaluation of potential visual acuity in eyes with macular oedema secondary to retinal vein occlusion. *Clin Experiment Ophthalmol*. 2009;37:208-216.

Oishi A, Nakamura H, Tatsumi I, Sasahara M, Kojima H, Kurimoto M, Otani A, Yoshimura N. Optical coherence tomographic pattern and focal electroretinogram in patients with retinitis pigmentosa. *Eye*. 2009;23:299-303.

Kimura T, Takagi H, Kita M, Watanabe D, Yoshimura N. Intravitreal injection of triamcinolone acetonide to treat cystoid fovealedema associated with Coats' disease. *Retinal Cases Brief Reports*. 2009;3:167-169.

Oishi A, Otani A, Sasahara M, Kurimoto M, Nakamura H, Kojima H, Yoshimura N. Retinal nerve fiber layer thickness in patients with retinitis pigmentosa. *Eye*. 2009;23:561-566.

Hirami Y, Osakada F, Takahashi K, Okita K, Yamanaka S, Ikeda H, Yoshimura N, Takahashi M. Generation of retinal cells from mouse and human induced pluripotent stem cells. *Neurosci Lett*. 2009;458:126-131.

Kotera Y, Yasuno Y, Hangai M, Inoue R, Makita S, Nakanishi H, Yamanari M, Yoshimura N. Comparison of spectral domain optical coherence tomography and color photographic imaging of the optic nerve head in management of glaucoma. *Ophthalmic Surg Lasers Imaging*. 2009;40:255-263.

Sasahara M, Otani A, Yodoi Y, Gotoh N, Yoshimura N. Circulating hematopoietic stem cells in patients with choroidal neovascularization secondary to pathologic myopia. *Eye*. 2009;23:718-726.

Hirami Y, Mandai M, Takahashi M, Teramukai S, Tada H, Yoshimura N. Association of clinical characteristics with disease subtypes, initial visual acuity, and visual prognosis in neovascular age-related macular degeneration. *Jpn J Ophthalmol*. 2009;53:396-407.

Sasahara M, Otani A, Yodoi Y, Yoshimura N. Circulating hematopoietic stem cells in patients with idiopathic choroidal neovascularization. *Invest Ophthalmol Vis Sci*. 2009;50:1575-1579.

Hangai M, Yamamoto M, Sakamoto A, Yoshimura N. Ultrahigh-resolution versus speckle noise-reduction in spectral-domain optical coherence tomography. *Opt Express*. 2009;17:4221-4235.

Yodoi Y, Tsujikawa A, Nakanishi H, Otani A, Tamura H, Ojima Y, Hayashi H, Yoshimura N. Central retinal sensitivity after intravitreal injection of bevacizumab for myopic choroidal neovascularization. *Am J Ophthalmol*. 2009;147:816-824.

Gotoh N, Nakanishi H, Hayashi H, Yamada R, Otani A, Tsujikawa A, Yamashiro K, Tamura H, Saito M, Saito K, Iida T, Matsuda F, Yoshimura N. ARMS2 (LOC387715) variants in Japanese patients with exudative age-related macular degeneration and polypoidal choroidal vasculopathy. *Am J Ophthalmol*. 2009;147:1037-1041.

Tsujikawa A, Sakamoto A, Ota M, Oh H, Miyamoto K, Kita M, Yoshimura N. Retinal structural changes associated with retinal arterial macroaneurysm examined with optical coherence tomography. *Retina*. 2009;29:782-792.

Yamaike N, Tsujikawa A, Sakamoto A, Ota M, Kotera Y, Miyamoto K, Kita M, Yoshimura N. Retinal sensitivity after intravitreal injection of bevacizumab for the treatment of macular edema secondary to retinal vein occlusion. *Retina*. 2009;29:757-767.

Unoki N, Nishijima K, Kita M, Suzuma K, Watanabe D, Oh H, Kimura T, Sakamoto A, Yoshimura N. Randomized controlled trial of posterior sub-Tenon's triamcinolone as adjunct to panretinal photocoagulation for treatment of diabetic retinopathy. *Br J Ophthalmol*. 2009;93:765-770.

Oishi A, Otani A, Sasahara M, Kojima H, Nakamura H, Kurimoto M, Yoshimura N. Photoreceptor integrity and visual acuity in cystoid macular oedema associated with retinitis pigmentosa. *Eye*. 2009;23:1411-1416.

Kimakura M, Oishi A, Miyamoto K, Yoshimura N. Sphenoethmoidal mucocele masquerading as trochlear palsy. *J AAPOS*. 2009;13:598-599.

Kameda T, Tanabe T, Hangai M, Ojima T, Aikawa H, Yoshimura N. Fixation behavior in advanced stage glaucoma assessed by the MicroPerimeter MP-1. *Jpn J Ophthalmol.* 2009;53:580-587.

Otani A, Yoshimura N. Re: The potential of pluripotent cells in vitreoretinal diseases. *Retina.* 2009;29:1055-1056.

Suda K, Oishi A, Miyamoto K, Yoshimura N. Pseudo-Parinaud syndrome: eyelid retraction and upgaze palsy associated with oculomotor nucleus syndrome. *Clin Experiment Ophthalmol.* 2009;37:745-747.

Unoki N, Nishijima K, Kita M, Oh H, Sakamoto A, Kameda T, Hayashi H, Yoshimura N. Lamellar macular hole formation in patients with diabetic cystoid macular edema. *Retina.* 2009;29:1128-1133.

Ishihara K, Hangai M, Kita M, Yoshimura N. Acute Vogt-Koyanagi-Harada disease in enhanced spectral-domain optical coherence tomography. *Ophthalmology.* 2009;116:1799-1807.

Nakanishi H, Yamada R, Gotoh N, Hayashi H, Yamashiro K, Shimada N, Ohno-Matsui K, Mochizuki M, Saito M, Iida T, Matsuo K, Tajima K, Yoshimura N, Matsuda F. A genome-wide association analysis identified a novel susceptible locus for pathological myopia at 11q24.1. *PLoS Genet.* 2009;5:e1000660.

Hangai M, Fujimoto M, Yoshimura N. Features and function of multiple evanescent white dot syndrome. *Arch Ophthalmol.* 2009;127:1307-1313.

Sakamoto A, Nishijima K, Kita M, Oh H, Tsujikawa A, Yoshimura N. Association between foveal photoreceptor status and visual acuity after resolution of diabetic macular edema by pars plana vitrectomy. *Graefe's Arch Clin Exp Ophthalmol.* 2009;247:1325-1330.

Yamamoto M, Tsujikawa A, Mizukami S, Miyoshi N, Yoshimura N. Cystoid macular

edema in polypoidal choroidal vasculopathy viewed by a scanning laser ophthalmoscope. *Int Ophthalmol*. 2009;29:503-506.